



TAREX GEAR-X4 85W-140 GL-4

GEAR OIL

Product Description:

TAREX GEAR-X4 85W-140 GL-4 Gear Oil is a multigrade automotive gearbox lubricant consisting of high-quality base oils and advanced additive technology with a high viscosity index. It is designed for use in synchronized and non-synchronized manual transmissions. Furthermore, it is suitable for the lubrication of certain steering gears and transaxles. It ensures reliable wear protection and torque transmission, even at varying speeds. Thanks to its advanced additive technology, extreme flank pressures, metal contact, and scuffing are effectively prevented.

Applications:

TAREX GEAR-X4 85W-140 GL-4 Gear Oil is especially recommended for use in manual transmissions of motor vehicles and industrial machinery. Depending on the manufacturer's instructions, it can also be used in transaxles and steering gears.

Benefits:

- ❖ Good low-temperature flow properties
- ❖ High oxidation stability
- ❖ Low foaming tendency
- ❖ High shear stability
- ❖ Reliable corrosion protection
- ❖ Elastomer compatibility

Meets the Specifications:

API GL-4; SAE J2360; U.S. Steel 22451517 Part III

Please check your owner's manual for the manufacturer's recommended oil viscosity grade and API classification and approvals.

Technical Data:

TAREX	Test Method	
API		GL-4
SAE Grade		85W-140
Density at 15 °C, gr/cm ³	ASTM D 1298	0.90
Viscosity at 40 °C, cSt	ASTM D 445	330 - 340
Viscosity at 100 °C, cSt	ASTM D 445	24.5 - 25.0
Viscosity Index	ASTM D 2270	97
Flash Point, °C	ASTM D 92	235
Pour Point, °C	ASTM D 97	-18

Above values are the typical values of the products and may vary with each batch.